# HSTD12 - Development and Application of Semiconductor Tracking Detectors

- Proceedings of the 12th International "Hiroshima" Symposium on the
- 5 Development and Application of Semiconductor Tracking Detectors (HSTD12)
- <sub>6</sub> 15 18 December 2019
- <sup>7</sup> International Conference Center Hiroshima, Hiroshima, Japan



- Guest editors
- Yoshinobu Unno (managing guest editor)
- 11 KEK, Tsukuba, Japan
- Yasushi Fukazawa
- <sup>13</sup> Hiroshima University, Higashi-Hiroshima, Japan
- 14 Suen Hou
- 15 Academia Sinica, Taipei, Taiwan
- Luise Polev
- 17 Simon Fraser University/TRIUMF, Vancouver, Canada
- Hartmut F.-W. Sadrozinski
- <sup>19</sup> University of California, Santa Cruz, CA, USA
- 20 Hongbo Zhu
- 21 IHEP, Chinese Academy of Sciences, Beijing, China

# **Table of Contents**

Editorial (page of page of pag		
List of Participants		(pa
Symposium Photos		(pa
Section I. Technologies and Simulations		
The TSV Process in the Hybrid Pixel Detector for the High Energy Photon Source	Jie Zhang	D-20-0
A Reconfigurable CMOS Sensor for Tracking, Pre-Shower and Digital Electromagnetic Calorimetry	Phil Allport	D-20-0
Design and hardware evaluation of the optical-link system for the ATLAS Liquid Argon Calorimeter Phase-II Upgrade	Tiankuan Liu	D-20-0
Optical transceivers for event triggers in the ATLAS phase-I upgrade	Suen Hou	D-20-0
AC-coupled n-in-p pixel detectors on MCz silicon with atomic layer deposition (ALD) grown thin film	Akiko Gädda	D-20-0
Process Quality Control Strategy for the Phase-2 Upgrade of the CMS Outer Tracker and High Granularity Calorimeter	Viktoria Hinger	D-20-0
Design of large scale sensors in 180nm CMOS process modified for radiation tolerance	Leyre Flores Sanz de Acedo	D-20-0
Novel Strategies for Fine-Segmented Low Gain Avalanche Diodes	Giovanni Paternoster	D-20-0
Seciton II. Pixel sensors for tracking		
Design, electrical properties and fabrication method study of a novel 3D-Compound-Shell-Electrode silicon detector	Manwen Liu	D-20-0
Commissioning and performance of the Belle II pixel detector	Hua Ye	D-20-0
Commissioning of the upgraded ALICE Inner Tracking System	Svetlana Kushpil	D-20-0
Radiation Resistant Innovative 3D Pixel Sensors for the CMS Upgrade at the High Luminosity LHC	Marco Meschini	D-20-0
Particle tracking and radiation field characterization with Timepix3 in ATLAS	Thomas Billoud	D-20-0
Serial powering in four-chip prototype RD53A modules for Phase 2 upgrade of the CMS pixel detector	Vasilije Perovic	D-20-0
Study of Interpad-gap of HPK 3.1 production LGADs with Transient Current Technique	Shudhashil Bharthuar	D-20-0
Characterization of small-pixel passive CMOS sensors in 150 nm LFoundry technology using the RD53A readout chip	Yannick Dieter	D-20-0
A new generation of radiation hard 3D pixel sensors for the ATLAS upgrade	Stefano Terzo	D-20-0
Highly compact digital pixel structures developed for the CEPC vertex detector		D-20-0
Development of Planar Pixel Sensors for the CMS Inner Tracker at the High- Luminosity LHC	Georg Steinbrueck	D-20-0
DMAPS Monopix developments in large and small electrode designs	Christian Bespin	D-20-0
The MuPix sensor for the Mu3e experiment	Alena Weber	D-20-0
Test Results of ATLASPIX3 - A Reticle Size HVCMOS Pixel Sensor	Rudolf Schimassek	D-20-0
Designed for Construction of Multi Chip Modules		
Topmetal-M: a novel pixel sensor for compact tracking applications	Chengxin Zhao	D-20-0
Vertex and Tracking Detector R&D for CLIC	Magdalena Munker	D-20-0
3D Trenched-Electrode Pixel Sensors: design, technology and initial results	Giulio Tiziano Forcolin	D-20-0
New Pixel Detector Concept 'DuTiP' for Belle II Upgrade and the ILC with an SOI Technology	Akimasa Ishikawa	D-20-0

Monolithic CMOS sensors for sub-nanosecond timing Radiation hard monolithic CMOS sensors with small electrodes for High- Luminosity LHC	Thanushan Kugathasan Heinz Pernegger	D-20-00112 D-20-00114
Section III. Pixel sensors for imaging		
Performance Test for a Pixelated Silicon Sensor with Junction Field Effect	Kookhyun Kang	D-20-00017
Transistor  Development of monolithic SOI pixel sensors capable of fine measurements of space and time	Hitoshi Murayama	D-20-00018
New architecture for the analog front-end of Medipix4 Performance verification of detecting soft X-rays with a next generation Si	Viros Sriskaran Naoki Ogino	D-20-00029 D-20-00039
CMOS detector for space applications Development of a Neutron Imaging Sensor using INTPIX4-SOI Pixelated Silicon Devices	Yoshio Kamiya	D-20-00057
Development of X-ray tri-axial stress analysis system using two monolithic SOI pixel detectors	Toshihiko Sasaki	D-20-00077
Fine residual stress distribution measurement of steel materials by SOI pixel detector with synchrotron X-rays	Ryutaro Nishimura	D-20-00103
X-ray metal material evaluation using an SOI pixel detector Low-Energy X-ray Performance of SOI Pixel Sensors for Astronomy,	Shingo Mitsui Ryota Kodama	D-20-00120 D-20-00130
"XRPIX"		
Section IV. Strip sensors		
Design and Evaluation of Large Area Strip Sensor Prototypes for the ATLAS Inner Tracker Detector	Javier Fernández- Tejero	D-20-00031
Design and performance of silicon strip sensors with slim edges for HPS experiment	Vitaliy Fadeyev	D-20-00033
The Phase-2 Upgrade of the CMS Outer Tracker	Suvankar Roy Chowd- hury	D-20-00051
Testbeam studies of barrel and end-cap modules for the ATLAS ITk strip detector before and after irradiation	Frederik Ruehr	D-20-00053
Initial Tests of Large Format Sensors for the ATLAS ITk Strip Tracker	Christoph Thomas Klein	D-20-00056
Humidity Sensitivity of Large Area Silicon Sensors: Study and Implications	Javier Fernández- Tejero	D-20-00060
Measuring the border of the active area on silicon strip sensors	Luise Poley	D-20-00066
Strip sensor performance in prototype modules built for ATLAS ITk	Vitaliy Fadeyev	D-20-00098
Study of CMOS strip sensor for future silicon tracker	Yubo Han	D-20-00099
ATLAS17LS – a large-format prototype silicon strip sensor for long-strip barrel section of ATLAS ITk strip detector	Yoshinobu Unno	D-20-00124
Section V. Radiation damage and radiation tolerant material	S	
Analysis of multiple cell upset characteristics for logical circuits in radiation environment	Lili Ding	D-20-00005
Mapping the in-plane electric field inside irradiated diodes	Luise Poley	D-20-00006
Effects of trapped charge on the signal formation on the signal formation and	Leena Diehl	D-20-00011
detection efficiency for subsequent pulses in irradiated silicon sensors		
Single Event Upset rates in the CBC in CMS	Geoffrey Hall	D-20-00019
Precision spectroscopy of cesium-137 from the ground to 150 m above in Fukushima	Takuya Kurihara	D-20-00026
Measurements of surface and bulk radiation damage effects in silicon detectors for Phase-2 CMS Outer Tracker	Valentina Mariani	D-20-00037

Charge Collection Study with the ATLAS ITk Prototype Silicon Strip Sensors ATLAS17LS	Kazuhiko Hara	D-20-00038
Characteristics of silicon strip sensor irradiated up to a proton fluence of 1017 neq/cm2	Katsuya Sato	D-20-00042
Radiation Damage Effects on Double-SOI Pixel Sensors for X-ray Astronomy	Kouichi Hagino	D-20-00043
Electrical characterization of surface properties of the ATLAS17LS sensors after neutron, proton and gamma irradiation	Marcela Mikestikova	D-20-00044
Charge transfer inefficiency increase of the CCD detector induced by proton and neutron irradiations	Zujun Wang	D-20-00050
A Concept for Spatially and Time Correlated Single Event Effect Detection in Semiconductors Using Timepix Type Pixel Detectors	Jan Broulim	D-20-00068
First characterisation of 3D pixel detectors irradiated at extreme fluences.	María Manna	D-20-00080
Experimental Study of Acceptor Removal in UFSD	Hartmut FW. Sadrozinski	D-20-00107
Analysis of CSNS neutron-induced displacement damage effects on top illumination planar InGaAs p-i-n photodetectors	Yuanyuan Xue	D-20-00108
Annealing of proton radiation damages in Si-PM at room tempurature	Yasushi Fukazawa	D-20-00123
Section VI. ASICs		
PulseDL: A reconfigurable deep learning array processor dedicated to pulse characterization for high energy physics detectors	Dong Wang	D-20-00015
A fully integrated 10-bit 100 MS/s SAR ADC with metastability elimination for the high energy physics experiments	Wei Yan	D-20-00024
JICG CMOS Transistors for Reduction of Total Ionizing Dose and Single Event Effects in a 130nm Bulk SiGe BiCMOS technology	Roland Sorge	D-20-00028
Development of a Front-end ASIC for Silicon-strip Detectors of the J-PARC Muon $g - 2$ /EDM Experiment	Yutaro Sato	D-20-00036
A low-power small-area 6T sram cell for tracking detector applications A Distributed Readout Network ASIC for High-Density Electrode Array	Chaosong Gao Le Xiao	D-20-00045 D-20-00047
Targeting at Neutrinoless Double-Beta Decay Search in a Time Projection Chamber	De filac	2 20 00017
Design of a low-noise, high-linearity, readout ASIC for CdZnTe-based gamma-ray spectrometers	Jia Wang	D-20-00065
A Low Noise APD Readout ASIC for Electromagnetic Calorimeter in HIEPA	Ran Zheng	D-20-00067
Prototyping of a 25 Gbps optical transmitter for applications in high-energy	Suen Hou	D-20-00075
physics experiments  1.28 and 5.12 Gbps multi-channel twinax cable receiver ASICs for the	Datao Gong	D-20-00093
ATLAS Inner Tracker Pixel Detector Update Development of a Low-Noise Front-end ASIC for CdTe Detectors	Tenyo Kawamura	D-20-00094
FAST: a 30 ps time resolution front-end ASIC for a 4D tracking system based	Elias Jonhatan Olave	D-20-00115
on Ultra Fast Silicon Detectors Radiation-Hard Miniature Optical Engine with High Bandwidth	K.K. Gan	D-20-00121
Section VII. Large scale applications		
Readout demonstrator for a Large-Scale Pixel-Detector conforming to the ATLAS Phase-II Upgrade	Alessandro Gabrielli	D-20-00012
Data-acquisition system developments for ATLAS pixel QA/QC test toward	Kazuki Todome	D-20-00023
High Luminosity LHC Performance study of a MAPS detector prototype based on test beam The Silicon Sensors for the High Granularity Calorimeter of CMS	Mingyi Dong Peter Paulitsch	D-20-00052 D-20-00054

Performance of the Belle II Silicon Vertex Detector Beam background study for the Belle II Silicon Vertex Detector A Prototype for the SHiP Timing Detector The Phase 2 upgrade of the CMS Inner Tracker Quality Assurance Methodology for the ATLAS Inner Tracker Strip Sensor Production	Hikaru Tanigawa Hikaru Tanigawa Christopher Betancourt Styliani Orfanelli Miguel Ullan	D-20-00063 D-20-00064 D-20-00072 D-20-00073 D-20-00074				
ATLAS ITk Pixel Endcap Demonstrator "Ring-0" Construction and Testing Studies for Low Mass, Large Area Monolithic Silicon Pixel Detector Modules using the MALTA CMOS Pixel Chip	John Matheson Petra Riedler	D-20-00100 D-20-00113				
Section VIII. Applications in astrophysics, biology, medicine, etc.						
64-channel photon-counting computed tomography using a new MPPC-CT system	Hiroaki Kiji	D-20-00014				
First application of the super-resolution imaging technique using a Compton camera	Shogo Sato	D-20-00016				
Development of the detector simulation framework for the Wideband Hybrid X-ray Imager onboard FORCE	Hiromasa Suzuki	D-20-00046				
First demonstration of real-time in-situ dosimetry of x-ray microbeams using a large format CMOS sensor	Samuel Flynn	D-20-00071				
Imaging with protons at MedAustron	Christian Irmler	D-20-00076				
Hodoscope with Timepix Detectors for PilsenCube2 Cubesat	Ondřej Urban	D-20-00081				
Performance evaluation of GAGG(Ce)/LFS scintillator + MPPC array read- out with ASIC	Daiki Nobashi	D-20-00105				
Imaging and Spectral Performance of a 60 $\mu$ m Pitch CdTe Double-Sided Strip Detector	Shunsaku Nagasawa	D-20-00109				
Experimental studies on the charge transfer inefficiency of CCD developed for the soft X-ray imaging telescope Xtend aboard the XRISM satellite	Yoshiaki Kanemaru	D-20-00122				
Screening and selection of XRISM/Xtend flight model CCD	Tomokage Yoneyama	D-20-00127				
Optical Blocking Performance of CCDs Developed for the X-ray Astronomy Satellite XRISM	Hiroyuki Uchida	D-20-00128				
Section IX. New ideas and future applications						
Study of time resolution of low-gain avalanche detectors	Kyoji Onaru	D-20-00025				
Design of a Novel Pixelated RGIPM for the 320 kV High-Voltage Platform at IMPCAS	Chengxin Zhao	D-20-00034				
Miniaturized read-out interface "Spectrig MAPD" dedicated for silicon photomultipliers	Michael Holik	D-20-00085				
First results of the TIMESPOT project on developments on fast sensors for future vertex detectors	Adriano Lai	D-20-00095				
Radiation hardness of the Low Gain Avalanche Diodes developed by NDL and IHEP in China	Zhijun Liang	D-20-00097				
Layout and Performance of HPK Prototype LGAD Sensors for the High-Granularity Timing Detector	Xiao Yang	D-20-00101				
Beam test results of NDL Low Gain Avalanche Detectors(LGAD)  Design of Low Gain Avalanche Detectors (LGAD) with 400 keV Ion  Implantation Energy for Multiplication Layer Fabrication	Suyu Xiao Kewei Wu	D-20-00102 D-20-00110				
Radiation Campaign of HPK Prototype LGAD sensors for the High-Granularity Timing Detector (HGTD)	Xin Shi	D-20-00111				
LGAD Designs for Future Particle Trackers State-of-the-art and evolution of UFSD sensors design at FBK	Nicoló Cartiglia Roberta Arcidiacono	D-20-00116 D-20-00117				

### **Editorial**

The 12<sup>th</sup> International "Hiroshima" Symposium on the Development and Application of Semiconductor Tracking Detectors (HSTD12) was held on December 15 - 18, 2017, at the International Conference Center Hiroshima, Hiroshima, Japan. The primary goal of the symposium is to bring together experts in the design, processing and applications for discussions of experiences, lessons learned and new ideas which are still in the early stage of development. The series of "Hiroshima" symposia has been held traditionally in the Pacific Rim region since the first symposium at Hiroshima in 1993. The proceedings of the symposia have been published in Nuclear Instruments and Methods [1, 2, 4, 5, 6, 7, 8, 9, 10, 11].

To the 12<sup>th</sup> symposium, a total number of 163 participants were registered with 143 contributions, among which 55 were assigned to oral presentations and 88 to posters. The topics of the contributions covered the field of semiconductor detectors and related areas, from technologies and simulations (10 and 2 contributions, respectively), pixel sensors for tracking and imaging (24 and 14), strip sensors (10), radiation damage and radiation tolerant materials (20 total), ASICs (20), large scale application in particle physics experiments (14), applications in astrophysics, biology, medicine, etc. (12 total), and new ideas and future applications (14 total). Following the tradition, the oral sessions were held as plenaries only, while posters sessions were scheduled throughout the entire symposium for presentation and discussion, with coffee, tea, and cookies, during the coffee/tea/lunch breaks.

In past symposia, we were witnessing the development of silicon-based tracking devices, shown in Fig. 1. The first generation of this evolution were strip sensors, followed by pixel sensors as the second generation. In this symposium, we have seen the birth of silicon-based fast timing detectors in large-scale applications, for the ATLAS and CMS experiments, that will be operational in the mid-2020's.

The symposium was entertained with a welcome reception in the Conference Center in the evening of 14<sup>th</sup>, Saturday, and with a half-day break, in the afternoon of 16<sup>th</sup>, Monday, used for an excursion to Miyajima island where the world-heritage Itsukushima shrine and the sacred mountain "Misen" are, and with the symposium dinner, in the evening of 17<sup>th</sup> at Hiroshima-city Bunka Koryu Kaikan. The dinner was entertained with the "Kagura" (dance in dedication to the gods) performance by the dancing team "Saniwa Kagura-Dan", provided by the Hiroshima Convention & Visitors Bureau. The group performed "Yamata no Orochi" - the story of a god who saved the life of an old couple's daughter to be sacrificed to a big, eight-headed snake (embodied by three snakes in the dance), who the god charmed to sleep with "sake" and then defeated.

The symposium was supported by the Hiroshima Convention & Visitors Bureau, through Ms. A. Sawada of the MICE promotion department, which partially covered the fee for the Conference Center, organized a welcome message from the mayor of Hiroshima City, and the entertainment at the symposium dinner. The symposium was made possible by the excellent contributions of the local organizers, Profs. H. Takahashi and T. Mizuno of Hiroshima University, who not only managed and executed the symposium but also complemented a guest editor, Y. Fukazawa.

Among the 143 contributions, 109 papers were included for publication in these proceedings. Like previous issues, the papers were peer-reviewed with the help of many anonymous reviewers in the field, as well as a special guest editor, D. Bortoletto, in case of a conflict of interest of the managing guest editor, to whom the organizers wish to extend their appreciation. We also appreciate the support of the publisher's editorial team: V. Letizia, L. Li, S. Vikram, and others.

The next Symposium will be held in Vancouver, Canada, in 2022<sup>1</sup>.

Guest Editors

27

30

33

34

35

38

42

43

52

53

56

57

61

62

```
      67
      References
      73
      [6]
      2006 Carmel (Nucl. Instr. Meth. A579, 557-914, 2007)

      68
      [1]
      1993 Hiroshima (Nucl. Instr. Meth. A342, 1-308, 1994)
      75
      $1-$256, 2011)

      69
      [2]
      1995 Hiroshima (Nucl. Instr. Meth. A383, 1-266, 1996)
      76
      [8]
      2011 Taipei (Nucl. Instr. Meth. A699, 1-250, 2013)

      70
      [3]
      1997 Melbourne (not published)
      77
      [9]
      2013 Hiroshima (Nucl. Instr. Meth. A765, 1-296, 2014)

      71
      [4]
      2000 Hiroshima (Nucl. Instr. Meth. A541, 1-446, 2005)
      78
      [10]
      2015 Xi'an (Nucl. Instr. Meth. A924, 1-484, 2019)

      72
      [5]
      2004 Hiroshima (Nucl. Instr. Meth. A924, 1-484, 2019)
```

<sup>&</sup>lt;sup>1</sup>Due to the pandemic of the new corona virus COVID-19, the 13<sup>th</sup> symposium is postponed by one year, from 2021 to 2022.




Fig. 1: Evolution of the area of silicon-based detectors. The first wave were strip sensors, followed by a second wave of pixel sensors. A new generation of fast timing detectors with large-scale applications is being developed.

### **Organizations**

#### 81 International Advisory Board

- P. Allport, University of Birmingham, UK
- N. Cartiglia, INFN Torino, Italy
- M. Garcia-Sciveres, Lawrence Berkeley National Laboratory, USA
- 65 G. Hall, Imperial College, London, UK
- 86 S.C. Lee, Academia Sinica, Taipei, Taiwan
- 87 T. Ohsugi, Hiroshima University, Japan
- 88 A. Seiden, Univ. of California, Santa Cruz, USA
- 89 T. Takahashi, ISAS (now at University of Tokyo), Japan

#### International Organizers

- Y. Fukazawa, Hiroshima University, Japan
- 92 S. Hou, Academia Sinica, Taipei, Taiwan
- 33 X. C. Lou, IHEP Beijing, China
- 94 H. F.-W. Sadrozinski, Univ. of California, Santa Cruz, USA
- 95 Y. Unno (Chair), KEK, Japan

#### <sub>96</sub> Local organizers

- 97 Y. Fukazawa (Chair), Hiroshima University
- 98 T. Mizuno, Hiroshima University
- 99 H. Takahashi, Hiroshima University
- 100 Y. Unno, KEK

#### 101 Venue

- 102 International Conference Center Hiroshima
- 1-5 Nakajima-cho, Naka-ku, Hiroshima-shi, Hiroshima-ken 730-0811, Japan
- http://www.pcf.city.hiroshima.jp/icch/english.html

#### 105 Contact and Web page

- 106 E-mail: hstd@ml.post.kek.jp
- https://indico.cern.ch/event/803258/

#### Supported by

- MICE Promotion Department, Hiroshima Convention & Visitors Bureau, 3rd Floor, International Conference Center
- Hiroshima, 1-5 Nakajima-cho, Naka-ku, 730-0811 Hiroshima, Japan
- 111 Core of Research for the Energetic Universe (CORE), Hiroshima University
- Silicon-On-Insulator Pixel Detector Project (SOIPIX), KEK
- <sup>113</sup> ACRORAD Co., Ltd., Gate City Osaki West Tower 5F, 1-11-1 Osaki, Shinagawa-ku, 169-8555 Tokyo, Japan
- 114 Crystals and Applications (C&A) Corporation, 6-6-40 Aramaki-Aza-Aoba, Aoba-ku, 980-8579 Sendai-shi, Japan
- HAMAMATSU PHOTONICS, K.K., 1126-1 Ichino-cho, Higashi-ku, 435-8558 Hamamatsu-shi, Japan
- 116 HAYASHI-REPIC K.K., 1-28-3 Kita-Otsuka, Toshima-ku, 170-0004 Tokyo, Japan

## **List of Participants**

First name Last name Affiliation

Pengcheng Ai Central China Normal University

Kazuyoshi Carvalho Akiba nikhe

Philip Patrick Allport University of Birmingham (UK)

Yasuo Arai KEK

Roberta Arcidiacono Università del Piemonte Orientale e INFN Torino (IT)

Jongmin Baek Kyungpook National University
Christian Bespin University of Bonn (DE)
Christopher Betancourt University of Zurich
Shudhashil Bharthuar University of Helsinki

Thomas Billoud Czech Technical University (CZ)
Maurizio Boscardin Fondazione Bruno Kessler
Jan Broulim University of West Bohemia (CZ)
Craig Buttar University of Glasgow (GB)

Angel Fernando Campoverde Quezada University of Chinese Academy of Sciences (CN)

Shuxin Cao International Green Chip Co., Ltd.

Alessandro Cardini INFN Sezione di Cagliari

Nicolo Cartiglia INFN Torino

Chufeng Chen Central China Normal University

Hyosung Cho Yonsei University
Yannick Manuel Dieter University of Bonn (DE)

Lili Ding Northwest Institute of Nuclear Technology

Mingyi Dong Institute of High Energy Physics, Chinese Academy of Sciences

Takeharu Etoh Ritsumeikan University

Vitaliy Fadeyev University of California, Santa Cruz (US) Yunyun Fan Chinese Academy of Sciences (CN)

Javier Fernandez-TejeroCNM-Barcelona (ES)Leyre Flores Sanz De AcedoUniversity of Glasgow (GB)Sam FlynnUniversity of Birmingham

Giulio Tiziano Forcolin Università degli Studi di Trento e INFN (IT)

Yasushi Fukazawa Hiroshima University

Alessandro Gabrielli Università e INFN, Bologna (IT) Akiko Gädda Helsiki Institute of Physics K.K. Gan The Ohio State University (US) Central China Normal University Chaosong Gao Vjaceslav Georgiev University of West Bohemia Datao Gong Southern Methodist University (US) Di Guo Central China Normal University Kouichi Hagino Tokyo University of Science

Geoff Hall Imperial College (GB)
Yubo Han Chinese Academy of Sciences (CN)

Kazuhiko Hara
University of Tsukuba (JP)

Kiyoshi Hayashida Osaka University

Timon Heim Lawrence Berkeley National Lab. (US) Ryan Heller Fermi National Accelerator Lab. (US)

Viktoria Hinger HEPHY Vienna (AT) Naoyoshi Hirade Hiroshima University

Michael Holik FEE - UWB in Pilsen (CZ); IEAP - CTU in Prague(CZ)

Suen Hou Academia Sinica (TW)

Fabian Huegging University of Bonn (DE)

Christian Irmler HEPHY Vienna

Akimasa Ishikawa KEK

Harris Kagan Ohio State University (US)
Yoshio Kamiya University of Tokyo (JP)
Yoshiaki Kanemaru University of Miyazaki
Kosuke Kariu Acrorad Co., Ltd.
Ryo Kato Ibaraki University
Tenyo Kawamura University of Tokyo
Hiroaki Kiji Waseda University

Jinyong Kim Kyungpook National University

Christoph Klein Carleton University Ryota Kodama Kyoto University

Gregor Kramberger Jozef Stefan Institute (SI)

Jiri Kroll Czech Academy of Sciences (CZ)

Fenglan Kuang Hunan Zheng Xin Micro Detectors, Limited

Thanushan Kugathasan CERN

Takuya Kurihara Waseda University

Svetlana Kushpil Acad. of Sciences of the Czech Rep. (CZ)

Adriano Lai INFN

Seungcheol Lee Kyungpook National University Jia-Hao Li National Taiwan University

Zhijun Liang Institute of High energy physics, Chinese Academy of Sciences

Chao Liu Northwestern Polytechnical University

Manwen Liu Ludong University

Peilian Liu Chinese Academy of Sciences (CN)

Yanwen Liu University of Science and Technology of China (CN)

Abdenour Lounis Laboratoire de l'Accélérateur Linéaire Yunpeng Lu Institute of High Energy Physics

Maria Manna Centro National de Microelectronica - CNM-IMB-CSIC

Valentina MarianiUniversita e INFN, Perugia (IT)John MathesonSTFC Rutherford Appleton LaboratoryLukas MedunaCzech Technical University (CZ)

Marco Meschini INFN, Firenze (IT)

Marcela Mikestikova Acad. of Sciences of the Czech Rep. (CZ)

Shingo Mitsui Kanazawa University Tsunefumi Mizuno Hiroshima University

Magdalena Munker CERN

Hitoshi Murayama University of Tsukuba (JP)

Shunsaku Nagasawa Kavli IPMU

Koji Nakamura High Energy Accelerator Research Organization (JP)
Ryutaro Nishimura High Energy Accelerator Research Organization (KEK)

Daiki Nobashi Nagoya University Graduate School of Science

Naoki Ogino Kanazawa University Takafumi Ohmoto A-R-Tec Corp.

Kyoji Onaru University of Tsukuba (JP)

Styliani Orfanelli CERN

Tadashi Orita The University of Tokyo
Qun Ouyang Institute of High Energy Physics
Hwanbae Park Kyungpook National University
Giovanni Paternoster Fondazione Bruno Kessler

Peter Paulitsch HEPHY Vienna

Giulio Pellegrini Centro Nacional de Microelectrónica (IMB-CNM-CSIC) (ES)

Heinz Pernegger CERN

Vasilije Perovic ETH Zurich (CH)

Luise Poley Lawrence Berkeley National Lab. (US)
Chaoyue Qu Institute of High Energy Physics

Petra Riedler CERN

Suvankar Roy Chowdhury INFN Sezione di Pisa, Università e Scuola Normale Superiore di Pisa

Frederik Ruehr Albert Ludwigs Universitaet Freiburg (DE)

Hartmut Sadrozinski UC Santa Cruz

Sai Neha Santpur Lawrence Berkeley National Lab. (US)

Toshihiko Sasaki Kanazawa University
Katsuya Sato University of Tsukuba (JP)
Shogo Sato Waseda university

Yutaro Sato High Energy Accelerator Research Organization Rudolf Schimassek Karlsruhe Institute of Technology (KIT)

Changwoo Seo Yonsei University

Fan Shen Central China Normal University
Xin Shi Chinese Academy of Sciences (CN)

Kenta Shigaki Hiroshima University (JP)

Roland Sorge IHP GmbH

Viros Sriskaran EPFL - Ecole Polytechnique Federale Lausanne (CH)

Asutosh Srivastava Jawaharlal Nehru University
Georg Steinbrueck Hamburg University (DE)
Hiromasa Suzuki The University of Tokyo
Hiromitsu Takahashi Hiroshima University
Ayaki Takeda University of Miyazaki
Hikaru Tanigawa Univ. of Tokyo

C. C. T.

Stefano Terzo IFAE

Kazuki Todome Università e INFN, Bologna (IT)

Hidenori Toyokawa Japan Synchrotron Radiation Research Institute

Toru Tsuboyama High Energy Accelerator Research Organization, KEK, Japan

Takeshi TsuruKyoto UniversityHiroyuki UchidaKyoto UniversityKirika UchidaImperial College (GB)Miguel Ullan ComesCNM-Barcelona (ES)

Yoshinobu Unno KEK, High Energy Accelerator Research Organization (JP)

Ondřej Urban FEL - UWB in Pilsen

Hui Wang Central China Normal University
Jia Wang Northwestern Polytechnical University

Jianchun Wang IHEP

Zujun Wang Northwest Institute of Nuclear Technology

Alena Weber Heidelberg University and Karlsruhe Institute of Technology

Wei Wei IHEP, CAS

Xiaomin Wei

Liv Wiik-Fuchs

Kewei Wu

Chinese Academy of Sciences (CN)

Zhigang Wu

Le Xiao

Northwestern Polytechnical University

Albert Ludwigs Universitaet Freiburg (DE)

Chinese Academy of Sciences (CN)

Institute of high energy physics

Central China Normal University

Yuanyuan Xue Northwest Institute of Nuclear Technology

Kazutaka Yamaoka Nagoya University

Xiao Yang University of Science and Technology of China (CN)

Yuzhen Yang Institute of High Energy Physics, Chinese Academy of Sciences (CN)

Hua Ye DESY

Masao Yoshino Tohoku University

Bihui You Central China Normal University

Chengjun Yu Institute of High energy physics, Chinese Academy of Sciences

Iveta ZatocilovaCzech Academy of Sciences (CZ)Hui ZhangKarlsruher Institut für Technologie

Ying Zhang Institute of High energy physics, Chinese Academy of Sciences (CN)

Yuezhao Zhang Institute of Modern Physics, Chinese Academy of Sciences

Cong Zhao Central China Normal University

Yang Zhou Institute of High Energy Physics, CAS, Beijing, China

Hongbo Zhu Institute of High Energy Physics

# **Symposium Photos**




on the steps of "the Conference Center relief"





plenary session



120

122

123

124

125





poster sessions throughout the symposium, with coffee/tea/cookies



poster sessions throughout the symposium, with coffee/tea/cookies



Peace Memorial Park at sunrise, Conference Center on the left







Welcome Reception the night before the Symposium













Excursion to Miyajima Island: ferry, shrine, and town



at the vista point of "Lion's nose" of mount "Misen", with the scenery of Hiroshima city in the background



Symposium dinner at Hiroshima City Bunka Kouryu Kaikan









the entertainment: "Kagura" (dance in dedication to the gods), "Yamata-no-Orochi", and aftermath



152





Symposium dinner opening and closing by the founders of the symposium