

Chip Z36459A-W03-X06-Y02 report.
(created: Thu Mar 29 20:06:41 2001)

General info :

Wafer name : Z36459A-W03
Position in wafer: X06-Y02
Raw data status flag : 63
Number of channels : 128
Digital and Analog volt. : 4.00 [V] 3.50 [V]
Master digital and analog supply current: 57.00 [mA] 78.00 [mA]
Slave digital and analog supply current : 36.00 [mA] 78.00 [mA]

BIN status: 0 (perfect chip)

Digital tests (minimum Vdd voltage [V] @40MHz and @50MHz) :

Config I/O test:	3.3	3.3
Address test:	3.3	3.3
L1 counter test:	3.3	3.3
Input reg. test:	3.3	3.3
Input lin. test:	3.3	3.3
Fake Slv. test:	3.3	3.3
Slave test:	3.3	3.4
Token test:	3.3	3.3

Digital perfect pattern: yes

Analog data:

Chip gain / sigma : 55.26 / 1.45 [mV/fC]
Chip offset / sigma : 12.83 / 5.14 [mV]
Chip output noise (max): 13.39 [mV]
Chip output noise (min): 5.27 [mV]
Quality factor: 10.34

DAC data:


Threshold DAC slope:	2.54 [mV/bit]	lin. error:	0.4 [%]
Preamp. DAC slope:	2.83 [mV/bit]	lin. error:	3.7 [%]
Shaper DAC slope:	1.76 [mV/bit]	lin. error:	5.4 [%]

Range DAC data:


range 0 :	50.8 [mV]
range 1 :	102.2 [mV]
range 2 :	153.3 [mV]
range 3 :	201.8 [mV]

Other data is available on plots following this page.


Chip Z36459A-W03-X06-Y02 Gain vs. channel




Chip Z36459A-W03-X06-Y02 Offset vs. channel




Chip Z36459A-W03-X06-Y02 Trim DAC slope vs. channel




Chip Z36459A-W03-X06-Y02 trim DAC lin. error




Chip Z36459A-W03-X06-Y02 Output noise vs. channel




Chip Z36459A-W03-X06-Y02 Input noise vs. channel



Chip Z36459A-W03-X06-Y02 threshold DAC



Chip Z36459A-W03-X06-Y02 preamp DAC



Chip Z36459A-W03-X06-Y02 shaper DAC

